

B125

PEDESTRIAN AREAS AND
TRAFFIC CAR PARKS





All our documents can be downloaded free of charge from: www.nicoll.fr

HYDRAULIC DRAINAGE CHANNELS - B125

Connecto® - Width 130 ext. - Separated parts

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
HIGH CHANNEL					
	Channel length 1m in PP with PP edges - light grey		CAN177		Delivered per 6 and sold per elements
	Channel length 1m in PP with PP edges - black		KCAN177N		
	End cap/end outlet - light grey				
	End cap/end or lateral outlet Ø 100		NAT177		10
	End cap/end or lateral outlet Ø 110		NAV177		10
	End cap/end outlet - black				
	End cap/end or lateral outlet Ø 100		NAT177N		10
	End cap/end or lateral outlet Ø 110		NAV177N		10
SHALLOW CHANNEL					
	Channel length 0,5 m in PVC with PVC edges		CAB773		12
	Channel length 0,5 m with trap outlet 40 / 50 / 93		CABS773		6
	End cap/end or lateral outlet Ø 40		NAH773		10
ACCESSORIES					
	Vertical outlet Ø 100 - light grey		STCAN		10
	Vertical outlet Ø 110 - light grey		SVCAN		10
	Vertical outlet Ø 100 - black		STDR10		10
	Vertical outlet Ø 110 - black		SVDR10		10
	Sump unit				
	outlet Ø 100		PSCVT		5
	outlet Ø 110		PSCVV		5

PVC GRATING

	DESIGNATION	DRAWINGS	REF. Light grey	REF. Sand	Packing	Packaging
	Standard grating length 0,5 m		GR77	GR77S		12
	Set of screws to fix the gratings GR77 (for 3 meters of channels) <i>To be ordered by set of 12 pieces</i>		FIXCAN		S12	

Possibility of 304 stainless steel edge on request

Connecto® - Width 200 ext. - Separated parts

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
	Channel length 1m in PP with PP edges - light grey		CAN188		Delivered per 4 and sold per elements
	End cap/end or lateral outlet Ø 100		NAT188		10
	End cap/end or lateral outlet Ø 110		NAV188		10
	End cap/end or lateral outlet Ø 125		NAX188		10
ACCESSORIES					
	Vertical Outlet Ø 125		SXCAN		10
	Sump unit Outlet Ø 100		PSCVT		5
	Outlet Ø 110		PSCVV		5
PVC GRATING FOR CAN188					
	Reinforced PVC cover length 0,5m		TR88		6

Connecto[®] drainage channel with B125 L130 polyamide grating

Building


NEW



Nicoll's range of drainage channels has expanded and now includes the CAN10BN drainage channel, complete with polyamide grating. This class B125 product is the ideal solution for use at garage entrances and other traffic areas.

Advantages :

- Anticorrosion: polyamide grating reinforced with fibreglass
- Robust and light: can withstand wheel loads
- Attractive: black mesh design. UV-resistant
- High hydraulic capacity
- Safe: complies with PRM accessibility requirements, screw-mounted grating
- Easy to install
- Watertight system



HYDRAULIC DRAINAGE CHANNELS - B125








Connecto® - Width 130 ext.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging	
POLYAMIDE GRATING						
NEW ! 	Channel length 1 m in PP with 2 polyamide gratings, locked on channel body - black		CAN10BN		Delivered per pallet of 32 m and sold per elements of 1 m	
	Pallet of 32 m (Delivery unit)		PAN10BN			
	End cap/end or lateral outlet					
	End cap/end or lateral outlet Ø 100		NAT177N		10	
	End cap/end or lateral outlet Ø 110		NAV177N		10	
	End cap/end outlet					
End cap/end outlet Ø 100		STDR10				
End cap/end outlet Ø 110		SVDR10				
PVC GRATING						
	Channel length 1 m in PP and 2 PVC slotted gratings light grey		CAN10BG**		Delivered per pallet of 32 m and sold per elements of 1 m	
	Pallet of 32 m (Delivery unit)		PAN10BG			
	Channel Length 1 m in PP and 2 PVC slotted gratings sand		CAN10BS**		Delivered per pallet of 32 m and sold per elements of 1 m	
	Pallet of 32 m (Delivery unit)		PAN10BS			
	Set of screws to fix the gratings on CAN10BG and CAN10BS (for 3 meters of channels) <i>To be ordered by set of 12 pieces</i>		FIXCAN	S12		
	End cap/end or lateral outlet					
	End cap/end or lateral outlet Ø 100		NAT177		10	
	End cap/end or lateral outlet Ø 110		NAV177		10	
	GALVANIZED STEEL GRATING					
	HIGH CHANNEL					
	Channel length 1 m in PP and 1 galvanized steel mesh grating - non lockable		CAN10BC		Delivered per pallet of 32 m and sold per elements of 1 m	
	Pallet of 32 m (Delivery unit)		PAN10BC			
SHALLOW CHANNEL						
	Channel length 1 m in PVC and 1 galvanized steel mesh grating - non lockable		CAB10BC		Delivered per pallet of 32 m and sold per elements of 1 m	
	Pallet of 32 m (Delivery unit)		PAB10BC			

**Available as separate parts, see page 332

HYDRAULIC DRAINAGE CHANNELS - B125

Connecto® - Width 130 ext.











	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
STAINLESS STEEL CHANNEL - 304					
HIGH CHANNEL					
	Channel length 1m in PP with 1 stainless steel mesh grating - non lockable		CAN10BCI		Delivered only per pallets of 32 m and sold per elements of 1 m
	Pallet of 32 m (Delivery unit)		PAN10BCI		
	CAN10BCI with stainless steel edges		CANI10BCI		
	End cap/end or lateral outlet				
	End cap/end or lateral outlet Ø 100		NAT177		10
	End cap/end or lateral outlet Ø 110		NAV177		10
SHALLOW CHANNEL					
	Channel length 1m in PVC with 1 stainless steel mesh grating - non lockable		CAB10BCI		Delivered only per pallets of 32 m and sold per elements of 1 m
	Pallet of 32 m (Delivery unit)		PAB10BCI		
	CAB10BCI with stainless steel edge		CABI10BCI		
	End cap/end or lateral outlet Ø 40		NAH773		10
DUCTILE IRON GRATING					
	Channel length 1m in PP with 2 ductile iron slotted gratings, locked on channel body		CAL10BF		Delivered only per pallets of 56 m and sold per elements of 1 m
	Pallet of 56 m (Delivery unit)		PAL10BF		
	End cap/end or lateral outlet				
	End cap/end or lateral outlet Ø 100		NAT178		10
	End cap/end or lateral outlet Ø 110		NAV178		10
ACCESSORIES					
	Vertical outlet Ø 100 - light grey		STCAN		10
	Vertical outlet Ø 110 - light grey		SVCAN		10
	Vertical outlet Ø 100 - black		STDR10		10
	Vertical outlet Ø 110 - black		SVDR10		10
	Sump unit				
	outlet Ø 100		PSCVT		5
outlet Ø 110		PSCVV		5	

Connecto® - Width 200 ext.

DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
GALVANIZED STEEL CHANNEL				
 <p>Channel length 1m in PP with 1 galvanized steel mesh grating, locked on channel body</p> <p>Pallet of 32 m (Delivery unit)</p>		CAN15BC		Delivered only per pallets of 30 m and sold per elements of 1 m
		PAN15BC		
DUCTILE IRON GRATING				
 <p>Channel length 1m in PP with 2 ductile iron slotted gratings, locked on channel body</p> <p>Pallet of 30 m (Delivery unit)</p>		CAN15BF		Delivered only per pallets of 30 m and sold per elements of 1 m
		PAN15BF		
 <p>Set of screws to fix the gratings on CAN15BF (for 3 meters of channels) To be ordered by set of 12 pieces</p>		FIXCAN2N	S12	
ACCESSORIES				
	End cap/end or lateral outlet			
	End cap/end or lateral outlet Ø 100		NAT188	10
	End cap/end or lateral outlet Ø 110		NAV188	10
	End cap/end or lateral outlet Ø 125		NAX188	10
	Vertical outlet Ø 125		SXCAN	10
	Sump unit			
	outlet Ø 100		PSCVT	5
	outlet Ø 110		PSCVV	5











HYDRAULIC DRAINAGE CHANNELS - B125

Kenadrain® HD - Width 100 int.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
PVC GRATING					
PARK CHANNEL					
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - light grey Height 0 - 0,80 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR100BG		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR100BG		
	STEPPED-FALL CHANNEL				
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - light grey Height 1 - 130 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR101BG		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR101BG		
	NEW GRATING !	 <p>Standard height</p> <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - light grey Height 2 - 170 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR102BG DR102BS	
Pallet of 40 m (Delivery unit)			PR102BG		
NEW GRATING !		 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - light grey Height 3 - 210 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR103BG	
	Pallet of 35 m (Delivery unit)		PR103BG		
	NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - light grey Height 4 - 250 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR104BG	
Pallet of 28 m (Delivery unit)			PR104BG		

These channels could also be supplied with stainless steel edges.











Kenadrain® HD - Width 100 int.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
PVC GRATING					
PARK CHANNEL					
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - sand Height 0 - 0,80 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR100BS		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR100BS		
STEPPED-FALL CHANNEL					
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - sand Height 1 - 130 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR101BS		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR101BS		
NEW GRATING !	 <p>Standard height</p> <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - sand Height 2 - 170 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR102BS		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR102BS		
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - sand Height 3 - 210 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR103BS		Delivered per pallet of 35 m and sold per elements of 1 m
	Pallet of 35 m (Delivery unit)		PR103BS		
NEW GRATING !	 <p>Channel length 1m with galvanized steel edges and 2 PVC slotted gratings - sand Height 4 - 250 mm</p> <p>Locking: 1 screw per grating on galvanized locking bar</p>		DR104BS		Delivered per pallet of 28 m and sold per elements of 1 m
	Pallet of 28 m (Delivery unit)		PR104BS		













These channels could also be supplied with stainless steel edges.

HYDRAULIC DRAINAGE CHANNELS - B125

Kenadrain® HD - Width 100 int.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
POLYAMIDE GRATING					
PARK CHANNEL					
NEW GRATING !	 <p>Channel Length 1 m with galvanized steel edges and 2 polyamide gratings Height 0 - 80 mm Locking: 1 screw per grating on galvanized locking bar Stainless steel edges and locking device on request</p>		DR100BN		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR100BN		
STEPPED-FALL CHANNEL					
NEW GRATING !	 <p>Channel Length 1 m with galvanized steel edges and 2 polyamide gratings Height 1 - 130 mm Locking: 1 screw per grating on galvanized locking bar Stainless steel edges and locking device on request</p>		DR101BN		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR101BN		
NEW GRATING !	<div style="border: 1px solid red; padding: 2px; display: inline-block; color: white; font-weight: bold;">Standard height</div>  <p>Channel Length 1 m with galvanized steel edges and 2 polyamide gratings Height 2 - 170 mm Locking: 1 screw per grating on galvanized locking bar Stainless steel edges and locking device on request</p>		DR102BN		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR102BN		
NEW GRATING !	 <p>Channel Length 1 m with galvanized steel edges and 2 polyamide gratings Height 3 - 210 mm Locking: 1 screw per grating on galvanized locking bar Stainless steel edges and locking device on request</p>		DR103BN		Delivered per pallet of 35 m and sold per elements of 1 m
	Pallet of 35 m (Delivery unit)		PR103BN		
NEW GRATING !	 <p>Channel Length 1 m with galvanized steel edges and 2 polyamide gratings Height 4 - 250 mm Locking: 1 screw per grating on galvanized locking bar Stainless steel edges and locking device on request</p>		DR104BN		Delivered per pallet of 28 m and sold per elements of 1 m
	Pallet of 28 m (Delivery unit)		PR104BN		

Kenadrain® HD - Width 100 int.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
GALVANIZED STEEL GRATING					
PARK CHANNEL					
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh grating Height 0 - 80 mm Locking: 2 screws per grating on galvanized locking bar		DR100BC		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR100BC		
STEPPED-FALL CHANNEL					
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh grating Height 1 - 130 mm Locking: 2 screws per grating on galvanized locking bar		DR101BC		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR101BC		
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh grating Height 2 - 170 mm Locking: 2 screws per grating on galvanized locking bar		DR102BC		Delivered per pallet of 40m and sold per elements of 1m
	Pallet of 40 m (Delivery unit)		PR102BC		
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh grating Height 3 - 210 mm Locking: 2 screws per grating on galvanized locking bar		DR103BC		Delivered per pallet of 35m and sold per elements of 1m
	Pallet of 35 m (Delivery unit)		PR103BC		
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh grating Height 4 - 250 mm Locking: 2 screws per grating on galvanized locking bar		DR104BC		Delivered per pallet of 28 m and sold per elements of 1 m
	Pallet of 28 m (Delivery unit)		PR104BC		
STAINLESS STEEL GRATING					
	Channel length 1 m with 1 stainless steel edges and stainless steel mesh grating (for food industries) Locking: 2 screws per grating on stainless steel locking bar		DR102BCI		Delivered per pallet of 40 m and sold per elements of 1 m
	Pallet of 40 m (Delivery unit)		PR102BCI		

HYDRAULIC DRAINAGE CHANNELS - B125

Kenadrain® HD - Width 100 int.

	DESCRIPTION	REF.	Packing	Packaging
ACCESSORIES				
  	End cap/end or lateral outlet			
	Height 0 - Ø 50	NJDR100		10
	Height 1 - Ø 75	NPDR101		10
	Height 2 - Ø 100	NTDR102		10
	Height 2 - Ø 110	NVDR102		10
	Height 3 - Ø 100	NTDR103		10
	Height 3 - Ø 110	NVDR103		10
	Height 4 - Ø 100	NTDR104		10
	Height 4 - Ø 110	NVDR104		10
	Outlet (delivered with screws)			
	Lateral or vertical Ø 100	STDR10		10
	Lateral or vertical Ø 110	SVDR10		10
Lateral or vertical Ø 125	SXDR10		10	
Lateral or vertical Ø 160	SZDR20		10	
Step connector	SAB10			
Adaptation part for sump PS100X, PS100V, STDR10, SVDR10 and SXDR10 at depths 3 and 4 of stepped-fall range	ADPS100			
SECURITY LOCKING SYSTEM				
 	Set of 24 security bolts	VISDRI	S1	
	Security lock key	CLEDRI	S1	
SUMP				
	Ekso sump with lower outlet			
	width 100 - outlet Ø 125	PS100X		4
	width 100 - outlet Ø 110	PS100V		4
	Ekso sump with upper outlet			
width 100 - outlet Ø 125	PS100XH			
width 100 - outlet Ø 110	PS100VH			

Kenadrain® HD - Width 150 int.

	HEIGHT	REF.	Packing	Packaging
DUCTILE IRON GRATING				
	Channel length 1 m with galvanized steel edges and 2 ductile iron gratings Locking: 2 screws per grating		DR152BF	Delivered per pallet of 30 m and sold per elements of 1 m
	Pallet of 30 m (Delivery unit)		PR152BF	
GALVANIZED STEEL GRATING				
	Channel length 1 m with galvanized steel edge and 1 galvanized steel mesh gratings Locking: 4 screws per grating		DR152BC	Delivered per pallet of 30 m and sold per elements of 1 m
	Pallet of 30 m (Delivery unit)		PR152BC	
ACCESSORIES				
	End cap/End outlet			
	Ø 125		NXDR152	10
	Lateral/vertical outlet (delivered with screws)			
	Lateral Ø 125		SXDR10	10
	Vertical Ø 160		SZDR20	10
SECURITY LOCKINGS SYSTEM				
	Set of 24 security bolts		VISDRI	S1
	Security lock key		CLEDRI	S1
SUMP				
	Ekso sump with lower outlet			
	width 150 - outlet Ø 160		PS150Z	2
	Ekso sump with upper outlet			
	width 150 - outlet Ø 160		PS150ZH	

HYDRAULIC DRAINAGE CHANNELS - B125

Kenadrain® HD - Width 200 int.

	DESCRIPTION	DRAWINGS	REF.	Packing	Packaging
GALVANIZED STEEL GRATING					
	Channel length 1 m with galvanized steel edges and 1 galvanized steel mesh gratings Locking: 4 screws per grating		DR202BC		Delivered per pallet of 20 m and sold per elements of 1 m
	Pallet of 20 m (Delivery unit)		PR202BC		
ACCESSORIES					
	End cap/end outlet Ø 160		NZDR202		10
	Lateral/vertical outlet (delivered with screws) Lateral Ø 160 Vertical Ø 200		SZDR20 SBDR20		10 10
SECURITY LOCKING SYSTEM					
	Set of 24 security bolts		VISDRI	S1	
	Security lock key		CLEDRI	S1	
SUMP					
	Ekso sump with lower outlet width 200 - outlet Ø 200		PS200B		2
	Ekso sump with upper outlet width 200 - outlet Ø 200		PS200BH		